




# MFX 23-HKVO

Steel  
Zinc plated



## MASTERGRIP | Hex-T open end | reduced countersunk head

Ø d		l [+0,5/-0]		Item nr.	Ø dk [+0/-0,6]	k ≤	SW [+0/-0,2]			
[mm]		[mm]	[mm]		[mm]	[mm]	[mm]	[Nm]	[N]	[N]
<b>M3</b>	*	10,5	0,5-2,5	<b>23H03KVO1</b>	6,5	0,8	5,0	3,0	2.900	900
SW1 5,1										
<b>M4</b>	!	12,5	0,5-3,0	<b>23H04KVO1</b>	7,0	0,8	6,0	5,0	3.530	1.470
SW1 6,1										
<b>M5</b>	!	14,0	0,5-3,0	<b>23H05KVO1</b>	8,0	0,8	7,0	7,0	4.900	1.760
SW1 7,1										
<b>M6</b>	!	16,0	0,5-3,0	<b>23H06KVO1</b>	10,0	0,8	9,0	14,0	14.700	2.940
SW1 9,1										
<b>M8</b>	!	17,0	0,5-3,0	<b>23H08KVO1</b>	12,0	0,8	11,0	21,0	21.560	3.020
SW1 11,1										
<b>M10</b>	!	20,5	0,8-4,0	<b>23H10KVO1</b>	14,5	0,8	13,0	35,0	29.400	3.430
SW1 13,1										



SW: Rivet nut exterior measurement flat side to flat side.  
SW1: Hole interior measurement flat side to flat side.  
SE: Hole interior measurement corner to corner.(not listed)

=	identical to old program
!	improved technical data
*	addition